

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR -	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/808,365	03/25/2004	Chuong Ngoc Ngo	ALC 3121	4735	
7590 09/19/2007 KRAMER & AMADO, P.C.			EXAMINER		
Suite 240	,	RIYAMI, ABDULLA A			
1725 Duke Stre Alexandria, VA		ART UNIT	PAPER NUMBER		
·			2616		
		·	MAIL DATE	DELIVERY MODE	
			09/19/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)						
	10/808,365	NGO ET AL.						
Office Action Summary	Examiner	Art Unit						
	Abdullah Riyami	2609						
The MAILING DATE of this communication app	<u> </u>	ith the correspondence address						
	Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1) Responsive to communication(s) filed on 25 M	arch 2004.							
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.							
	· · · · · · · · · · · · · · · · · · ·							
closed in accordance with the practice under E	x parte Quayle, 1935 C.E	D. 11, 453 O.G. 213.						
Disposition of Claims								
4)⊠ Claim(s) <u>1-21</u> is/are pending in the application.								
4a) Of the above claim(s) is/are withdraw	vn from consideration.							
5) Claim(s) is/are allowed.								
6) Claim(s) 1-21 is/are rejected.		•						
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	r election requirement							
are subject to restriction and/o	r election requirement.							
Application Papers								
9) The specification is objected to by the Examine								
10)⊠ The drawing(s) filed on <u>25 March 2004</u> is/are:		•						
Applicant may not request that any objection to the	- · ·	· ·						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119								
	priority under 25 H.C.C.	S 110(a) (d) ar (f)						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
1. ☐ Certified copies of the priority documents have been received.								
3. Copies of the certified copies of the priority documents have been received in this National Stage								
application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.								
		·						
·								
Attachment(s)								
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date								
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 03/25/2004.		nformal Patent Application						

Application/Control Number: 10/808,365 Page 2

Art Unit: 2609

DETAILED ACTION

Claim Objections

1. Claims 5, 7, 11 and 13 are objected to under 37 CFR 1.75 because of the following informalities:

In claim 5, line 8, the occurrence of "content" seems to refer to "content" as recited in line 5. If this is true, it is suggested to change "content" to "said content". Similar problem exists in claims 7.

In claim 11, line 9, the occurrence of "signaling information" seems to refer to "signaling information" as recited in line 5. If this is true, it is suggested to change "signaling information" to "said signaling information". Similar problem exists in claim 13.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 3, 5-6, 9, 11-12, and 14 -19 are rejected under 35 U.S.C. 102(e) as being anticipated by Kim et al. (US 7266124 B2).

Art Unit: 2609

In claim 1, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), centrally, in a network management context, the method comprising the steps of:

- a. establishing a full transport mesh of bi-directional Label Switched Paths (LSPs) (see column 7, lines 30) between a plurality of managed Provider Edge (PE) communications network nodes in a managed communications network (see column 8, lines 8-10); and
- b. establishing a full signaling mesh of targeted Label Distribution Protocol (LDP) signaling sessions between the plurality of PE communications network nodes (see column 3, lines 1-25).

In claim 3, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4) wherein prior to issuing LSP commissioning commands, the method further comprises steps of:

a. determining whether a managed targeted LSP session already exists between a pair of PE communications network nodes in the group (see column 7, lines 50-65); and

- b. determining whether a provisioning parameter associated with the discovered LSP complies with a corresponding transport mesh provisioning parameter (see column 7, lines 50-65);
- c. conditionally including the discovered LSP in the transport mesh if compliance exists (see column 7, lines 50-65).

Art Unit: 2609

In claim 5, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein decommissioning a selected LSP (see column 7, lines 10-23, 25-35 and also see columns 9 and 10), the method further comprises steps of:

- a. determining the two PE communications network nodes corresponding to the ends of the selected LSP (see column 9, lines 31-55);
- b. determining whether content is being conveyed via the selected LSP in respect of an actively provisioned VPN service (see column 9, lines 31-55); and c. selectively issuing LSP decommissioning commands (see column 10, lines 1-5 and column 7, lines 10-20) to the two PE communications network end nodes if no content is being conveyed via the selected LSP (see column 7, line 30). In claim 6, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein adding a PE communications network node to the group (see column 7, lines 10-13 and lines 51-65), the method further comprises steps of:
- a. deriving a plurality of PE communications network node pairs, each pair including the additional PE communications network node and one of the PE communications network nodes in the group (see column 7, lines 50-65); and b. issuing LSP commissioning commands to the additional PE communications network node and each PE communications network node in the group, to establish an LSP corresponding to each PE communications network node pair determined (see column 7, lines 30-34).

In claim 9, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4) wherein prior to issuing targeted LDP commissioning commands, the method further comprises steps of:

- a. determining whether a managed targeted LDP session already exists between
 a pair of PE communications network nodes in the group (see column 7, lines 50-65);
- b. including the discovered targeted LDP session in the signaling mesh (see column 7, lines 15-23).

In claim 11, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein decommissioning a selected LDP (see column 7, lines 10-23, and also see columns 9 and 10), the method further comprises steps of:

- a. determining the two PE communications network nodes corresponding to the ends of the selected LDP session (see column 9, lines 31-55);
- b. determining whether signaling information is being conveyed via the selected LDP session in respect of an actively provisioned VPN service (see column 9, lines 31-55); and
- c. selectively issuing LDP decommissioning commands (see deleted, column 10, lines 1-5 and column 7, lines 10-20) to the two PE communications network end nodes if no content is being conveyed via the selected LDP session (see column 7, line 30).

Art Unit: 2609

In claim 12, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein adding a PE communications network node to the group (see column 7, lines 10-21), the method further comprises steps of:

a. deriving a plurality of PE communications network node pairs, each pair including the additional PE communications network node and one of the PE communications network nodes in the group (see column 7, lines 50-65); and b. issuing targeted LDP session commissioning commands to the additional PE communications network node and each PE communications network node in the group, to establish a targeted LDP session corresponding to each PE communications network node pair determined (see column 7, lines 10-23). In claim 14, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), further comprising the step of: ascribing an identifier (see column 8, lines 24-45) to one of: a transport mesh of LSPs, and a signaling mesh of targeted LDP sessions. In claim 15, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), further comprising tracking one of: a transport mesh and a signaling mesh in a network management system repository (see VPN DNS, column 7, lines 10-23). In claim 16, Kim et al. discloses a network management system centrally provisioning full mesh Multi-Protocol Label Switching (MPLS) connectivity in a managed communications network in support of Virtual Private Network (VPN)

Art Unit: 2609

service provisioning, the network management system (see figure 4, block 40) comprising:

- a. a network management system repository tracking managed Provider Edge (PE) communications network nodes in the managed communications network (see column 3, lines 30-39, and figure 4, block 40);
- b. a full content transport Label Switched Path (LSP) (see column 7, lines 30)
 mesh configuration and provisioning means for managing a plurality of content
 transport LSPs between a selected group of managed PE communications
 network nodes (see column 7, lines 25-67 and column 8, lines 1-10); and
 c. a full targeted Label Distribution Protocol (LDP) signaling (see column 3, lines
 1-25) session mesh configuration and provisioning means for managing a
 plurality of targeted LDP signaling sessions between the selected group of PE
 communications network nodes (see column 7, lines 25-67 and column 8, lines
 1-10).

In claim 17, Kim et al. discloses a network management system wherein each PE communications network node in the group of managed PE communications network nodes comprises a Label Switching Router (LSR) (see column 8, lines 24-46).

In claim 18, Kim et al. discloses a network management system wherein the full content transport LSP mesh configuration and provisioning means comprises a human-machine-interface (see VPN DNS managing information of PEs, column 3, lines 25-35 figure 3).

Application/Control Number: 10/808,365 Page 8

Art Unit: 2609

In claim 19, Kim et al. discloses a network management system wherein the full targeted LDP signaling session mesh configuration and provisioning means comprises a human-machine interface (see VPN DNS managing information of PEs, column 3, lines 25-35 and figure 3).

Claim Rejections - 35 USC § 103

- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

6. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 7. Claims 2, 4, 8,10, and 20-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al. (US 7266124 B2) in view of Ould-Brahim et al. (US 2003/0177221 A1).

In claim 2, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), comprising: a group of PE communications network nodes participating in the managed communications network (see columns 9 and 10), each PE communications network node comprising a Label Switched Router (LSR) (see column 8, lines 24-45); deriving a corresponding plurality of PE communications network node pairs from the selected group of PE communications network nodes (see column 7, lines 51-65) and issuing LSP commissioning commands to each PE communications network node in the group to establish an LSP in respect of each corresponding PE communications network node pair (see column 7, lines 24-34 and also see columns 9 and 10).

Kim et al. does not expressly disclose selecting means.

Ould-Brahim et al. discloses selecting means (see paragraph 20, lines 18-27).

Kim et al. and Ould-Brahim et al. are analogous art because they are from the same field of endeavor of multi-protocol label switching between provider edges. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Ould-Brahim et al.'s selection means (see paragraph 20, lines 18-27) in Kim et al. network management system (see figure 4, block 40) for establishing LSP sessions based on communication parameters.

The motivation to combine would have been to have a method for implementing resource allocation, configuring, and establishing layer 2 and layer 3 virtual private network services between provider edges.

In claim 4, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein commissioning an additional LSP (see column 7, lines 10-23), the method further comprises steps of: issuing LSP commissioning commands to each PE communications network node in the pair to establish the additional LSP therebetween (see column 7, lines 24-34 and also see columns 9 and 10). Kim et al. does not expressly disclose selecting a pair of PE communications network nodes from the group.

Ould-Brahim et al. discloses selecting a pair of PE communications network nodes from the group (see paragraph 20, lines 18-27).

Kim et al. and Ould-Brahim et al. are analogous art because they are from the same field of endeavor of multi-protocol label switching between provider edges.

Page 11

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Ould-Brahim et al.'s selection means (see paragraph 20, lines 18-27) in Kim et al. network management system (see figure 4, block 40) for establishing LSP sessions based on communication parameters.

The motivation to combine would have been to have a method for implementing resource allocation, configuring, and establishing layer 2 and layer 3 virtual private network services between provider edges.

In claim 8, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein establishing the full signaling mesh, the method further comprises steps of:

- a. a group of PE communications network nodes participating in the managed communications network (see figure 4);
- b. deriving a corresponding plurality of PE communications network node pairs from the selected group of PE communications network nodes (see column 7, lines 50-65); and
- c. issuing targeted LDP session commissioning commands to each PE communications network node in the group to establish a targeted LDP session in respect of each corresponding PE communications network node pair (see column 7, lines 19-24).

Kim et al. does not expressly disclose selecting means.

Ould-Brahim et al. discloses selecting means (see paragraph 20, lines 18-27).

Art Unit: 2609

Kim et al. and Ould-Brahim et al. are analogous art because they are from the same field of endeavor of multi-protocol label switching between provider edges. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Ould-Brahim et al.'s selection means (see paragraph 20, lines 18-27) in Kim et al. network management system (see figure 4, block 40) for establishing LSP sessions based on communication parameters.

The motivation to combine would have been to have a method for implementing resource allocation, configuring, and establishing layer 2 and layer 3 virtual private network services between provider edges.

In claim 10, Kim et al. discloses a method of provisioning support for Virtual Private Network (VPN) services (see abstract and figure 4), wherein commissioning an additional targeted LDP session (see column 7, lines 18-23), the method further comprises steps of:

- a. a pair of PE communications network nodes from the group (see figure 4 and column 7, lines 51-67);
- b. a corresponding pair of interfaces, each interface being associated with a
 respective PE communication network node in the pair (see figure 4, and column
 7, lines 51-67); and
- c. issuing targeted LDP session commissioning commands to each PE communications network node in the pair to establish the additional targeted LDP session therebetween (see column 7, lines 18-23).

Kim et al. does not expressly disclose selecting means.

Ould-Brahim et al. discloses selecting means (see paragraph 20, lines 18-27). Kim et al. and Ould-Brahim et al. are analogous art because they are from the same field of endeavor of multi-protocol label switching between provider edges. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Ould-Brahim et al.'s selection means (see paragraph 20, lines 18-27) in Kim et al. network management system (see figure 4, block 40) for establishing LSP sessions based on communication parameters.

The motivation to combine would have been to have a method for implementing resource allocation, configuring, and establishing layer 2 and layer 3 virtual private network services between provider edges.

In claim 20, Kim et al. discloses a network management system (see figure 4, block 40) but does not expressly disclose it further comprising one of: managed PE communications network node filtering means, and managed PE communications network node pair selection means.

Ould-Brahim et al. discloses it further comprising one of: managed PE communications network node filtering means, and managed PE communications network node pair selection means (see paragraph 11 and 20). Kim et al. and Ould-Brahim et al. are analogous art because they are from the same field of endeavor of multi-protocol label switching between provider edges. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Ould-Brahim et al.'s selection means (see paragraph 11 and

20) in Kim et al. network management system (see figure 4, block 40) for establishing sessions based on communication parameters.

The motivation to combine would have been to have a system for implementing resource allocation, configuring, and establishing layer 2 and layer 3 virtual private network services between provider edges.

In claim 21, Kim et al. discloses a network management system (see figure 4, block 40) but does not expressly disclose it further comprising one of: LSP discovery means, targeted LDP session discovery means, and LSP parameter comparison means.

Ould-Brahim et al. discloses it further comprising one of: LSP discovery means, targeted LDP session discovery means, and LSP parameter comparison means (see paragraph 28).

Kim et al. and Ould-Brahim et al. are analogous art because they are from the same field of endeavor of multi-protocol label switching between provider edges. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Ould-Brahim et al.'s LDP discovery means (see paragraph 28) in Kim et al.'s network management system (see figure 4, block 40) for signaling and session establishment.

The motivation to combine would have been to have a system for implementing resource allocation, configuring, and establishing layer 2 and layer 3 virtual private network services between provider edges.

Allowable Subject Matter

8. Claims 7 and 13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

*		Document Number Country Code-Number-Kind Code	Date MM- YYYY	Name	Classification
*	Α	US-2003/0018820 A1	01-2003	Ould-Brahim et al.	709/249
*	В	US-2003/0110268 A1	06-2003.	Kermarec et al.	709/227
*	C	US-2003/0154259 A1	08-2003	Lamberton et al.	709/213
*	D	US-7,260,097 B2	08-2007	Casey, Liam	370/392
*	Ε	US-2003/0174706 A1	09-2003	Shankar et al.	370/393
*	F	US-6,789,121 B2	09-2004	Lamberton et al.	709/227
*	G	US-2005/0129024 A1	06-2005	Fisher et al.	370/395.1
*	Τ	US-2005/0180431 A1	08-2005	Kinoshita et al.	370/397
*	-	US-2005/0220107 A1	10-2005	DelRegno et al.	370/392
*	J	US-2006/0080421 A1	04-2006	Hu, Cheng-Hong	709/223
*	К	US-7,152,115 B2	12-2006	Ould Brahim et al.	709/238
*	L	US-2007/0036162 A1	02-2007	Tingle et al.	370/392

All of the above are cited to show a system and method for MPLS services through provider edges.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Abdullah Riyami whose telephone number is (571) 270-

Application/Control Number: 10/808,365 Page 16

Art Unit: 2609

3119. The examiner can normally be reached on Monday through Thursday 8am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dang Ton can be reached on (571) 272-3171. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AR

DANG T. TON
SUPERVISORY PATENT EXAMINER